

INDEX

Key: (CA) = Code Alternate, (I) = Interpretation, (Note) = Note Box, (I-CA) = Interpretation of Code Alternate

A

ABSORPTION COOLING EQUIPMENT	M1412
ACCESS (TO)	N1101
Definition	R202
To appliances	M1305
To attic	R807
To crawl space	R408.4
To equipment	M1401.2
To floor furnace	M1408.4
To plumbing connections	P2704
To plumbing fixtures	P2705
To whirlpool pumps	P2720.1
ACCESS HATCHES	N1102.2.4
ACCESSIBILITY	R320
ACCESSIBLE	
Definition	E3501
Readily accessible, definition	E3501
ACCESSORY STRUCTURE	
Definition	R202
ADDITIONS	
Defined	N1101.6
Requirements	N1110
ADDRESS (SITE)	R319
ADMINISTRATIVE	Chapter 1
Applicability	R102, R101.3 (Note)
Authority	R104
Board of appeals	R112
Certificate of occupancy	R110
Construction documents	R106
Department of building safety	R103
Entry	R104.6
Fees	R106
General	R101
Inspections	R109, R106.8.1 (Note)
Permits	R105, R105.2 (Note), (I)R105.6, (I)R105.7.3
Purpose	R101.3
Scope	R101.2 (Note), (I)R101.2a, (I)R101.2b
Service utilities	R111
Stop work order	R114
Temporary structures and uses	R107
Violations	R113
ADULT FAMILY HOMES	R330
AIR	
Combustion	Chapter 17, G2407
Combustion air, definition	R202

INDEX

Return	M1602
AIR BARRIER	
Installation	N1102.4.1.1, Table N1102.4.1.1
Testing	N1102.4.1.2
AIR CONDITIONERS	
Branch circuits	E3702.11
Room air conditioners	E3702.12
AIR INFILTRATION	
Requirements	N1102.4.1.2
AIR LEAKAGE	N1102.4, N1103.3.5, N1103.3.6
ALLOWABLE SPANS	
Of floor joists	R502.3, R505.3.2
Of headers	R602.7, R603.6
Of rafters and ceiling joists	R802.4, R802.5, R804.3.1, R804.3.2
ALTERATIONS	
Defined	N1101.6
Requirements	N1111
AMPACITY	E3501
ANCHOR BOLTS	R403.1.6
APPEAL	
Board of	R112.1
Right of	R112
APPLIANCE	
Access to	M1305
Attic	M1305.1.3
Clearance for	M1306
Connectors, fuel-gas	Chapter 24
Definition	R202
Definition applied to electrical equipment	E3501
Electrical appliance disconnection means	E4101.5
Electrical appliance installation	E4101
Equipment (general)	Chapter 14
Floor furnace	M1408
Flue area	R1003.14
Fuel-burning	Chapter 24
Heating and cooling	Chapter 14
Installation	M1307
Labeling	M1303
Open-top broiler units	M1505.1
Ranges	M1901
Room heaters	M1410
Special fuel-burning equipment	Chapter 19
Vented (decorative)	Chapter 24
Wall furnace	M1409
Warm-air furnace	M1402
Water heaters	Chapter 20, Chapter 24
APPLICATION	
Plywood	R703.3
APPROVAL	
Mechanical	M1302

APPROVED

Agent (definition)	R202
Definition	R202
Definition applied to electrical equipment	E3501
Source (definition)	R202

ARC-FAULT CIRCUIT INTERRUPTER E3902**AREA**

Disposal, private sewage disposal	P2602
Flue (appliances)	R1003.14
Flue masonry	R1003.15
Room, minimum	R304

AREA WELLS R310.4**ARMORED CABLE** Table E3801.2**ASPHALT SHINGLES** R905.2**ATTACHMENT PLUG (PLUG CAP) (CAP)**

Definition	E3501
------------------	-------

ATTIC

Access	R807
Appliances	M1305.1.2
Habitable	(I)R202, R326

AUTOMATIC N1101.6**AUTOMATIC FIRE SPRINKLER SYSTEMS** R313**B****BACKFILL**

For piping	P2604
------------------	-------

BACKFLOW, DRAINAGE

Definition	R202
------------------	------

BACKWATER VALVE

Allowed types	P3008.2
Defined	R202
Required	P3008.1

BASEMENT WALL

Definition	R202, N1101.6
Requirements	Table N1102.1.3, N1102.2.8, Table N1105.4.2(1)

BATH, TOILET AND SHOWER SPACES R307**BATHROOM**

Exhaust	M1505.4.4
Group	R202, Table P3004.1

BATHTUB

Enclosure	P2713.2
Finish	R307.2
Hydromassage	E4209
Outlets for	P2713.1
Space required	R307.1
Whirlpool	P2720

BEAM SUPPORTS R606.14**BEARING**

Of joists	R502.6
-----------------	--------

BIDETS	P2721
BOILER	
Definition	R202
Outdoor temperature setback control	N1103.2
Requirements	Chapter 20
BONDING	E3609, E4204
Definition applied to electrical installations	E3501
BONDING JUMPER	E3501
Bonding of service equipment	E3609.2
Bonding to other systems	E3609.3
Main bonding jumper	E3607.5
Metal water piping bonding	E3608.1.1
Sizing bonding jumpers	E3609.5
BOXES	E3906
Nonmetallic boxes	E3905.3
Support of boxes	E3904.3
Where required	E3905.1
BRANCH CIRCUIT	E3501, Chapter 37
Ampacity	E3701.2
Ratings	E3702
Required	E3703
BUILDING	
Definition	R202, N1101.6
Drain, definition	R202
Existing, definition	R202
Sewer, definition	R202
BUILDING OFFICIAL	
Definition	R202
Inspection and tests of fuel-gas piping	Chapter 24
BUILDING PLANNING	
Accessibility	R320
Automatic fire sprinkler systems	R313
Carbon monoxide alarms	R315
Ceiling height	R305
Design criteria	R301, (I)R301.2.1.4
Elevators and platform lifts	R321
Emergency escape	R310
Exterior wall	R302.1
Fire-resistant construction	R302
Flood-resistant construction	R322
Foam plastic	R316
Garages and carports	R309
Glazing	R308
Guardrails	R312
Handrails	R311.7.8, R311.8.3
Insulation	R302.10
Landing	R311.3, R311.3.1, R311.3.2
Light, ventilation and heating	R303
Means of egress	R311
Mezzanines	R325
Minimum room area	R304

Planning	Chapter 3
Plumbing fixture clearances	R307
Protection of wood against decay	R317
Ramps	R311.8
Sanitation	R306
Site address	R319
Smoke alarms	R314
Solar energy systems	R324
Stairways	R311.7
Stationary storage battery systems	R328
Storm shelters	R323
Swimming pools, spas and hot tub	R327
Termite protection	R318
Toilet, bath and shower spaces	R307
BUILDING THERMAL ENVELOPE	
Air tightness	N1102.4.1
Compliance documentation	N1101.5, N1101.14
Definition	R202
Insulation	N1101.10.1
Insulation and fenestration criteria	N1102.1.2
Performance method	Table N1105.4.2(1)
Requirements	N1101.4
BUILDING-INTEGRATED PHOTOVOLTAIC ROOF PANEL	
As roof covering	R324.5.2
Definition	R202
BUILT-UP ROOFING (see ROOFING)	
 C 	
CABINETS AND PANELBOARDS	E3907
CAPACITY	
Expansion tank	M2003.2
CARBON MONOXIDE ALARMS	R315
Definition	R202
CARPORTS	R309.2
CATHODIC PROTECTION	G2415.11.2
CAVITY INSULATION	N1101.6, Table N1102.1.3, N1102.1.4, Table N1102.2.6, N1102.2.7, Table N1102.4.1.1
CEILING	
Finishes	R302.9, R805
Height	R305
CEILING FANS	E4203.4
CEILINGS	N1102.2.1, N1102.2.2
For standard reference design	Table N1105.4.2(1)
CENTRAL FURNACES (see FURNACES)	
CERTIFICATE	N1101.14
CERTIFICATE OF OCCUPANCY	R110
CHANGE OF OCCUPANCY	
Definition	R202
Energy use	N1113

CHASES	R606.8
CHIMNEYS	
And fireplaces	Chapter 10
Caps	R1003.9.1
Clearance	R1003.18
Corbeling	R1003.5
Crickets	R1003.20
Design (masonry)	R1003.1
Factory-built	R1005
Fireblocking	R1003.19
Flue area	R1003.14, R1003.15
Flue lining	R1003.11
Load	R1003.8
Masonry and factory-built, size	M1805
Multiple flue	R1003.14
Rain caps	R1003.9.3
Spark arrestors	R1003.9.2
Termination	R1003.9
Wall thickness	R1003.10
CIRCUIT BREAKER	
Definition	E3501
CIRCULATION SYSTEMS	N1103.5.1
CLASS 2 CIRCUITS	
Class 2 remote-control, signaling and power-limited circuits	Chapter 43
CLAY	
Tiles	R905.3
CLEANOUT	
Definition	R202
Drainage	P3005.2
Masonry chimney	R1003.17
CLEARANCE	
Above cooking top	M1901.1
For appliances	M1306.1
For chimneys	R1003.18
Reduction methods	M1306.2
Vent connector	M1803.3.4
CLEARANCES	
Around electrical equipment	E3405.1, E3604.1, E3604.2, E3604.3
CLIMATE TYPES	
Defined	Table N1101.7.2(1)
CLIMATE ZONES	
By state or territory	N1101.7, Figure N1101.7, Table N1101.7
International climate zones	Figure N1101.7, Table N1101.7
Tropical	N1101.7.2, Table N1101.7.2
Warm Humid	N1101.8
Warm Humid	N1101.7.1, Table N1101.7
CLOTHES CLOSETS	
Lighting fixtures	E4003.12

CLOTHES DRYERS	M1502, Chapter 24
CLOTHES WASHING MACHINES	P2718
COLUMNS	R407
COMBUSTIBLE	
Materials	R202
COMBUSTION AIR	
Air	Chapter 17, Chapter 24
Definition	R202
COMMON VENT	
Definition	R202
Requirements	M1801.11
COMPLIANCE	N1101.13
Energy Rating Index	N1101.13.3, N1106
Prescriptive	N1101.13.1
Total Building Performance	N1101.13.2, N1105
Tropical zone	N1101.13.5, N1107
COMPLIANCE REPORT	N1105.3.2.2
COMPOSTING TOILET SYSTEM	P2725.1
CONCRETE	
Compressive strength	R402.2, (CA)R402.2
Floors (on ground)	R506
Tile (roof)	R905.3
Weathering	Figure R301.2(1), R402.2
CONCRETE-ENCASED ELECTRODE	E3608.1.2
CONDITIONED FLOOR AREA	R202
CONDITIONED SPACE	R202
CONDUCTOR	E3406
Ampacity	E3705.1
Definition	E3501
Identification	E3407
Insulation	E3406.5
Material	E3406.2
Parallel	E3406.6
Size	E3406.3, E3704.1
Ungrounded	E3603.1
CONDUIT BODY	
Definition	E3501
CONNECTION	
Access to connections	P2704
For fuel-burning appliances	Chapter 24
For fuel-oil piping	M2202
Joints	P2904
Plumbing fixture	P2601.2
To water supply	P2902.1
CONNECTIONS	
Aluminum	E3406.8
Device	E3406.11.2
CONNECTOR	
Chimney and vent	M1803
Vent, definition	R202

CONNECTOR, PRESSURE (SOLDERLESS)

Definition E3501

CONSTRUCTION

Cavity wall masonry R608

Flood-resistant R322

Floors Chapter 5

Footings R403

Foundation material R402

Foundation walls R404

Foundations Chapter 4

Masonry R606, R607, R608, R610

Roofs Chapter 8

Steel framing R505, R603, R804

Walls Chapter 6

Wood framing R502, R602, R802

CONSTRUCTION DOCUMENTS R106, N1101.5

Thermal envelope depiction N1101.5.1

CONTINUOUS AIR BARRIER R202**CONTINUOUS LOAD**

Definition E3501

CONTINUOUS WASTE

Definition R202

CONTROL

Devices Chapter 24

CONTROLS

For forced-air furnaces Chapter 24

For heat pumps N1103.1.2

For heating and cooling N1103.1

For service water heating N1103.5

COOKING UNIT, COUNTER-MOUNTED

Definition E3501

COOLING

Absorption cooling equipment M1412

Access to equipment M1401.2

Evaporative cooling equipment M1413

Installation M1401.1

Loads for energy calculation N1101.9

Refrigeration cooling equipment M1404

Return air-supply source M1602

COPPER-CLAD ALUMINUM CONDUCTORS

Definition E3501

CORDS

Flexible E4101.3, E4202.2

CORROSION

Protection of metallic piping P2603.3

COURT

Definition R202

COVER REQUIREMENTS E3803.1**COVERING**

Exterior R703

Interior R702

Roof	Chapter 9
Wall	Chapter 7
CRAWL SPACE	R408
Energy conservation requirements	N1101.11.1, Table N1102.1.2, Table N1102.1.3, N1102.2.10, N1102.2.10.1, Table N1105.4.2(1)
Wall (definition)	R202
CROSS CONNECTION	
CSST	G2411.2, G2411.3, G2414.4.4, G2415.2
Definition	R202

D

DAMPER, VOLUME	
Definition	R202
DAMPROOFING	R406
DECAY	
Protection against	R317
DECK	
Supported by exterior wall	R507
Wood/plastic composite boards	R507.2.2
DECORATIVE APPLIANCES	
Vented	Chapter 24
DEFAULT DISTRIBUTION SYSTEM EFFICIENCIES	Table N1105.4.2(2)
DEFINITIONS	
Building	R202
Electrical	E3501
Mechanical system	R202
Plumbing	R202
DEGREE DAY COOLING	Table N1101.7.2(2)
DEGREE DAY HEATING	Table N1101.7.2(2)
DEMAND RECIRCULATION WATER SYSTEM	
Defined	N1101.6
Requirements	N1103.5.1.1
DESIGN CONDITIONS, INTERIOR	N1101.9
DESIGN CRITERIA	R301
Alternative provisions	R301.1.1
Application	R301.1
Climatic and geographic	R301.2
Dead load	R301.4
Deflection	R301.6
Engineered design	R301.1.3
Live load	R301.5
Nominal sizes	R301.8
Roof load	R301.6
Seismic	R301.2.2
Snow loads	R301.2.3
Story height	R301.3
Sunrooms	R301.2.1.1.1
Wind	R301.2.1
DIMMER	N1101.6, N1104.2

DIRECTIONAL

Fittings, plumbing P2707

DISCONNECTING MEANS

Definition E3501

DISHWASHING MACHINES P2717**DOORS**

Attics N1102.2.4.1

Crawl space N1102.2.4.1

Default *U*-factor Table N1101.10.3(2)

Egress R311.2

Exterior R311.3, R609

Opaque N1102.3.4

Performance requirements Table N1105.4.2(1)

SHGC values Table N1102.1.3

U-factors Table N1102.1.2**DRAFT HOOD**

Definition R202

DRAFTSTOPPING R302.12, R502.12**DRAIN**

Floor P2719

Shower receptors P2709

DRAINAGE

Cleanouts P3005.2

Foundation R405

Inspection and tests P2503

Storm drainage Chapter 33

DRILLING AND NOTCHING (see NOTCHING)**DRINKING WATER TREATMENT** P2909**DRIP LOOPS** E3605.9.5**DRYERS**

Domestic clothes M1502

DUCTS Chapter 16

Defined R202

Dwelling-garage wall and ceiling penetration R302.5.2

Installation M1601.4

Insulation N1101.5, N1101.14,

N1103.3.1, N1103.3.2, N1103.3.3,

N1103.3.3.1, M1601.3

Material M1601

Sealing N1101.5, N1103.3.4, M1601.4.1

System, definition R202

Tightness verification N1103.3.5

Within unconditioned space N1103.3.1

DWELLING

Definition R202, E3501

DWELLING UNIT

Definition R202, E3501

Multiple units N1103.8

Separation R302.2, R302.3

DWELLING UNIT ENCLOSURE AREA N1101.6, N1102.4.1.2**DYNAMIC GLAZING** N1102.3.2

E

EAVE BAFFLE

Installation N1102.2.3

EJECTORS (see SUMPS AND EJECTORS)**ELECTRICAL**

Appliance (labeling) M1303

Inspection E3403

ELECTRICAL METALLIC TUBING Table E3904.6(1)

ELECTRICAL NONMETALLIC TUBING Table E3904.6(2)

ELECTRICAL POWER AND LIGHTING N1104

ELECTRICAL RESISTANCE HEATERS

Baseboard convectors M1405

Duct heaters M1407

Radiant heating M1406

ELECTRIC VEHICLE CHARGING R309.5

ELECTRODES

Grounding E3608

ELEVATORS AND PLATFORM LIFTS R321

EMERGENCY ESCAPE AND RESCUE OPENINGS R310

Area wells R310.3.2

At additions R310.6

At existing basements R310.7

Bars, grilles, covers and screens R310.4.4

Definition R202

Dimensions R310.2

Doors R310.3

Replacement window sill height R310.5

Under decks and porches R310.2.4

Where required R310.1

ENCLOSURE

Definition E3501

ENERGY ANALYSIS, ANNUAL

Defined R202

Documentation N1105.3

Requirements N1105.3

ENERGY CONSERVATION Chapter 11

ENERGY COST

Defined R202

Energy Rating Index R202, N1106.4

Energy Rating Index compliance alternative N1106

ERI-based compliance N1106.5

ENERGY PERFORMANCE ANALYSIS N1105

ENERGY RECOVERY VENTILATION SYSTEMS

Requirements Table N1105.4.2(1)

ENERGY SIMULATION TOOL

Defined N1101.6

ENERGY STORAGE SYSTEMS R328

Defined R202

ENTRY R104.6

ENVELOPE, BUILDING THERMAL

Defined R202

ENVELOPE DESIGN PROCEDURES	N1102
EQUIPMENT	
Definition applied to electrical equipment	E3501
Efficiencies	N1101.5, N1101.14
General, mechanical	Chapter 14
Heating and cooling	Chapter 14
Room for fuel-burning appliances	N1102.4.4
EXCAVATIONS	
For appliance installation	M1305.1.3.2
EXHAUST	
Domestic cooking	M1503
General	Chapter 15
EXISTING BUILDINGS	R107.5.1.2 (Note), N1109
EXISTING PLUMBING SYSTEMS	P2502
EXTERIOR	
Covering	R703, (I)R703.1.1, R703.1.1 (Note)
Insulation finish systems	R703.9
Lath	R703.7.1
Plaster	R703.7
EXTERIOR WALL	
Construction	R302.1
Defined	R202
Fire-resistance rating	R302.1
Thermal performance	N1102, N1102.1.2, Table N1105.4.2(1)
F	
FACEPLATES	E4001.11, E4002.4
FACTORY BUILT	
Chimneys	R1005, M1805
Fireplace stoves	R1005.3
Fireplaces	R1004
FAMILY HOME CHILDCARE	R331
FASTENING	Table R602.3(1)
FAUCETS	P2701
Handle orientation	P2722.2
Requirements	P2701
FEEDER	
Ampacity	E3704.5
Conductor size	E3704.1
Feeder neutral load	E3704.3
Loads	E3704.2
Requirements	E3704
FEES, PERMIT	R108
FENESTRATION	N1101.10.3, N1102.3, N1102.3.2, N1102.4.3
Default <i>U</i> -factors	Table N1101.10.3(1)
Defined	R202
Rating and labeling	N1101.10.3, N1102.1.2

Replacement	N1102.3.5
Requirements	Table N1102.1.2
FENESTRATION, SITE-BUILT	
Defined	R202
FINISHES	
Flame spread and smoke density	R302.9
For ceilings	R805
Interior	R302.9, R315, R702
FIRE SPRINKLER SYSTEM	
Inspections of	R313, P2904
Sizing of	P2904.8
Sprinkler location	P2904.6
	P2904.1.1
FIREBLOCKING	
Barrier between stories	R302.11, R602.8
Chimney	R1003.19
Fireplace	R1001.12
FIREPLACES	
Clearance	Chapter 10
Corbeling	R1001.11
Doors for	R1001.8
Factory-built	N1102.4.2
Fireblocking	R1004
Walls	R1001.12
	R1001.5
FIRE-RESISTANT CONSTRUCTION	
Draftstopping	R302
Dwelling-garage fire separation	R302.1
Dwelling-garage opening and penetration	R302.6
Exterior walls	R302.5
Fireblocking	R302.1, (I)R302.1
Floors	R302.11
Foam plastics	R302.13
Insulation	R302.8
Opening protection between two-family dwellings	R302.10, R302.14
Penetrations	R302.3.4
Separation	R302.4
Shared accessory rooms	R302.3.1
	R302.3.5, Table R302.3.5
Duct penetration	R302.3.5.2
Opening protection	R302.3.5.1
Townhouse separation	R302.2
Two-family dwellings	R302.3, (I)R302.3
Under-stair protection	R302.7
Wall and ceiling finishes	R302.9
FIRE-SEPARATION DISTANCE	
Definition	R202
Exterior walls and wall projections	R302.1
Ground-mounted photovoltaic systems	R324.7
FITTING	
Definition applied to electrical installations	E3501
FITTINGS	
DWV piping	P3002.3
Prohibited joints	P3003.2

Water supply	P2906.6
FIXTURE UNIT	
Drainage, definition	R202
Water supply, definition	R202
FIXTURES	
Clearance	R307.1
Plumbing fixture, definition	R202
Plumbing fixture, general	Chapter 27
Trap seals	P3201.2
FLAME SPREAD INDEX	R302.9, R302.10
FLASHING	R703.4, R703.8.5, R903.2, R905
FLEXIBLE CORDS	E3909, E4101.3, E4202.2
FLEXIBLE METAL CONDUIT	E3801.1, E3908.9.1
FLOATING HOMES	R332, (I)R332.15
FLOOD-RESISTANT CONSTRUCTION	
General and structural	R301.2.4, R322
Plumbing systems	P2601.3
FLOOR DRAIN	P2719
FLOOR FURNACE	M1408
FLOORS	
Above-grade	Table N1105.4.2(1)
Bathtub and shower	R307.2
Concrete (on ground)	R506
Insulation for steel framed	N1102.2.6
Insulation requirements	N1102.1.2, Table N1102.1.2, Table N1102.1.3, N1102.2.6, N1102.2.7, N1102.2.9
Loads	R301, R501.2
Steel framing	R505
Treated-wood (on ground)	R504
Wood framing	R502
FLUE	
Area	R1003.14, R1003.15
Lining	R1003.11, R1003.12
Multiple	R1003.13
FOAM PLASTICS	R316
FOOD-WASTE DISPOSERS	
Discharge connection to sink tailpiece	P2707.1
General	P2716
FOOTINGS	R403, (I)R403.1.6
Excavation for piping near	P2604.4
Requirements	R403
FORCED MAIN SEWER	
Materials	P3002.2
Testing	P2503.4
FOUNDATIONS	Chapter 4
Cripple walls	R602.9, R602.10.9, R602.11.2
Frost protection	R403.1.4.1
Inspection	R109.1.1
Insulation requirements	Table N1102.4.1.1, Table N1105.4.2(1)

Walls	R404
FRAME	
Inspection	R109.1.4
FREEZE PROTECTION OF PLUMBING	P2603.5
FUEL GAS	Chapter 24
FUEL OIL	
Oil tanks	M2201
Piping, fittings and connections	M2202
Pumps and valves	M2204
FUEL-BURNING APPLIANCES (see APPLIANCE, definition)	N1102.4.4
FURNACES	
Clearance of warm-air furnaces	M1402.2
Efficiency	Table N1105.4.2(1)
Exterior	M1401.4
Floor (see Floor Furnace)	
Wall (see Wall Furnace)	
Warm-air	M1402, Chapter 24
FUSES	E3705.6

G

GARAGES AND CARPORTS	R309, R309.5.2 (Note)
GAS	
Appliance labeling	Chapter 24
GAS PIPING SYSTEM NOT TO BE USED AS GROUNDING ELECTRODE	Chapter 24
GIRDERS	R502.5
GLASS MAT GYPSUM PANEL	R202
GLAZED FENESTRATION	N1102.3.2, N1102.3.3
GLAZING	
Aggregate area	R303.1
Greenhouses, glass in	R308.6.6
Protection of openings	R301.2.1.2
Required glazed openings	R303.9
Safety glazing and hazardous locations	R308
Site-built	R308.5
Skylights and sloped	R202, R308.6
GRADE	
Definition	R202
Of lumber	R502.1.1, R602.1.1, R802.1.1
Plane, definition	R202
Slope of piping, definition	R202
GRAYWATER	
For subsurface irrigation	P3009
Identification for	P2901.2
Supply to fixtures	P2901.1
GROUND	
Definition of electrical	E3501
Floors (on ground)	R504, R506
Joint connection	P2906.8
GROUNDING	
Definition	E3501

GROUNDING, EFFECTIVELY

Definition E3501

GROUNDING CONDUCTOR

Definition E3501

Identification E3407

GROUND-FAULT CIRCUIT-INTERRUPTER PROTECTION E3902, E4203, E4206,
E4207.2, E4208**GROUNDING**

Effective grounding path E3611.3

Of equipment. E3908, E4205.1

GROUNDING CONDUCTOR

Definition E3501

Equipment E3501, E3607.3.1, E3908

GROUNDING ELECTRODE CONDUCTOR E3607.4

Connection E3607.2, E3611

Definition E3501

Size E3603.4

GROUNDING ELECTRODE SYSTEM E3608**GROUNDING ELECTRODES** E3608, E3608.1

Resistance of. E3608

GROUND-SOURCE HEAT PUMP M2105**GUARDED**

Definition applied to electrical equipment E3501

GUARDING OF ENERGIZED PARTS E3404.9**GUARDS** R312

Definition R202

Exterior R507.10

GYPSUM

Wallboard R702.3

GYPSUM SHEATHING R202**GYPSUM WALLBOARD** R202**H****HABITABLE ATTIC** R326**HABITABLE SPACE**

Definition R202

HALLWAYS R311.6**HAND SHOWER (see SHOWER)****HANDRAILS** R311.7.8, R311.8.3

Definition R202

HEADERS

SIP. R610.8

Steel R603.6

Wood R602.7

HEARTH R1001.9

Extension. R1001.9, R1001.10

HEATED SLAB

Defined R202

HEATERS

Baseboard M1405

Central furnaces	M1402
Duct	M1407
Heat pumps	N1103.1.2, M1403
Masonry	R1002
Pool	M2006, Chapter 24
Radiant	M1406
Sauna	Chapter 24
Unvented	G2445
Vented room	M1410, Chapter 24
Water	Chapter 20, Chapter 28
HEATING	
Load for calculation of energy	N1101.9
Required	R303.10
HEATING EQUIPMENT	Chapter 14
HEIGHT	
Ceiling	R305
HIGH-EFFICACY LAMPS	N1104.1
Defined	R202, N1101.6
HISTORIC BUILDING	
Definition	R202
Energy conservation requirements	N1109.6
HOLLOW-UNIT MASONRY (see MASONRY)	
HORIZONTAL	
Pipe, definition	R202
Vent length	M1803.3.2
HOT TUBS	R327, E4201, Appendix AG
HOT WATER	
Definition	R202
Distribution pipe rating	P2906.5
Distribution systems	P2905
Energy conservation measures	N1103.5
Heaters	M2005, Chapter 24
Piping insulation	N1103.5.2
Supplied to bathtubs	P2713
Temperature actuated valves for	P2724
HUB DRAIN (see WASTE RECEPTOR)	
HVAC SYSTEM	
Leakage tests	N1103.3.6
HYDROGEN GENERATING AND REFUELING	M1307.4
HYDRONIC HEATING SYSTEMS	
Baseboard convectors	M2102
Boilers	M2001
Expansion tanks	M2003
Floor heating systems	M2103
Operating and safety controls	M2002
Piping systems installation	M2101

I

IDENTIFICATION

Materials, systems and equipment for energy compliance	N1101.10
--	----------

IDENTIFIED

Definition applied to electrical equipment E3501

INDIRECTLY CONDITIONED SPACE (see CONDITIONED SPACE)**INDIVIDUAL**

Branch circuit, definition E3501

Sewage disposal systems R202, P2602

Water supply and sewage disposal systems P2602

INFILTRATION

Air leakage N1002.4, Table N1105.4.2(1)

Defined R202

INLET

To masonry chimneys R1003.16

INSPECTION

Excavation for piping P2604.1

Fuel-supply system Chapter 24

Of plumbing system P2503

On-site R109.1

INSTALLATION

Of appliances M1307

Of cooling and heating equipment M1401.1

Of ducts M1601.4

Of flue liners R1003.12

Of plumbing fixtures P2705

Of wall furnaces M1409.3

INSULATING SHEATHING

Defined R202

Requirements N1102.1.2, Table N1102.1.3

INSULATION

Above-deck R906

Air-impermeable R202, N1101.10.5

Basement wall N1102.2.8

Ceilings with attic spaces N1102.2.1

Ceilings without attic spaces N1102.2.2

Crawl space walls N1102.2.9

Duct N1103.3.1

Eave baffle for N1102.2.3

Flame spread R302.10

Floors N1102.2.6, N1102.2.7

Foam plastic R316

Hot water piping N1103.5.3

Identification of N1101.10, N1101.10.2

Installation of N1101.10.1, N1101.10.2,
N1101.11, Table N1102.4.1.1

Masonry veneer support N1102.2.11

Mass wall as N1102.2.5

Mechanical system piping N1103.4

Product rating of N1101.10.4

Protection of exposed foundation N1101.11.1

Protection of insulation on piping N1103.4.1

Requirements N1102.1.4, N1102.2

Slab-on-grade floors N1102.2.9

Steel-framed ceiling walls and floors	N1102.2.6, Table N1102.2.6
Sunroom.	N1102.2.12
INTERIOR	
Lath	R702.2.3
Other finishes	R702.5
Plaster	R702.2
Wall covering	Chapter 7
INTERMEDIATE METAL CONDUIT	E3801, E3904
INTERMODAL SHIPPING CONTAINER	R202, R301.2
INTERRUPTING RATING	E3404.2
Definition	E3501
IRRIGATION (see SUBSURFACE IRRIGATION)	

J

JOINTS, PIPE	
And connections	P2906, P3003
Slip	P2704.1
JOIST	
Bearing	R502.6, R606.6.3.1
JUMPERS	
Bonding	E3609
JUNCTION BOXES	E3905, E4206.9.1

K

KITCHEN	
Definition	R202
Enclosed	R202, M1503.3, Table M1505.4.4.1
KITCHEN RECEPTACLES	E3703.2, E3901

L

L VENT TERMINATION	M1804.2.4
LABELED	
Definition	R202
Definition applied to electrical equipment	E3501
LABELING	
Appliances	M1303
Definition	R202
Fenestration product	N1102.4.3
Garage doors	R609.4.1
LAMP HOLDERS	E4003, E4004
LANDINGS	R311.3, R311.3.1, R311.3.2, R311.7.6, R311.8.2
LATERAL SUPPORT	R502.7, R606.6.4, R607.5.2
LATH	
Exterior	R703.7.1
Interior	R702.2.3
LAUNDRY CIRCUIT	E3703.3
LAUNDRY TUBS	
Drain connection to standpipe	P2706.1.2.1

Requirements	P2715
LAVATORIES	P2711
Clearances	R307
Waste outlets	P2711.3
LEAD	
Allowable amount, potable water components	P2906.2
Bends and traps	P3002.4.2
Caulked joints	P3003.4.1
Flashing	P3002.4.1
LIABILITY	R104.8
LIGHT, VENTILATION AND HEATING	R303, (I)R303.10
LIGHTING	
Adjoining rooms	R303.2
Bathrooms	R303.3
Controls	N1104.2, N1104.3
Exterior stairs	R303.8
Habitable rooms	R303.1
Interior stairs	R303.7
Luminaire in clothes closets	E4003.12
Luminaire installation	E4004
Luminaries	E4003, E4004, E4206
Recessed	N1102.4.5, N1104.1
Required glazed openings	R303.9
Systems	N1104
LIGHTING OUTLETS	
Definition	E3501
Required lighting outlets	E3903
LINING	
Flue	R1003.11, R1003.12
LINTEL	R606.10, R608.8, R703.8.3, R1001.7
LIQUID-TIGHT FLEXIBLE CONDUIT	E3801.4, E3908.9.2
LISTED	
Definition applied to electrical equipment	E3501
LISTED AND LISTING	
Definition applied to building and mechanical provisions	R202
Mechanical appliances	M1302.1
Potable water components	P2609
LIVE/WORK UNIT	R202
Accessibility	R320.2
LOAD	
Additional	R1003.8
Dead load	R301.4
Definition, dead and live	R202
Live load	R301.5
Roof	R301.6
Seismic risk map	Figure R301.2.2.1(1), Figure R301.2.2.1(2), Figure R301.2.2.1(3), Figure R301.2.2.1(4), Figure R301.2.2.1(5), Figure R301.2.2.1(6)
Snow load map	Figure R301.2(1), Figure R301.2(3)
Wind speed map	Figure R301.2(2)

LOADS

Branch circuit loads	E3702, E3703.6
Feeder load	E3704.2
Feeder neutral load	E3704.3
Horizontal load	Appendix AE123.1
Service load	E3602.2

LOCATION

Of furnaces	M1408.3, M1409.2
-------------	------------------

LOCATION (DAMP) (DRY) (WET)

Definitions	E3501
-------------	-------

LOFT

Guards	R202, R333, Appendix AQ R312
--------	---------------------------------

LOG HOMES

	N1102.1, Table N1102.4.1.1
--	----------------------------

LUMBER

Grade	R502.1.1, R602.1.1, R802.1.1
-------	------------------------------

LUMINAIRE

Clearances	E4004 E4004.8
------------	------------------

M

MACERATING TOILET

	P2723
--	-------

MAKEUP AIR

	M1503.4
--	---------

MANUFACTURED HOME

Definition	R202
------------	------

Provisions	Appendix AE
------------	-------------

MASONRY

Anchorage	R606.11
Cavity wall	R606.13
Chases	R606.8
General	R606
Hollow unit	R202, R606.3.2.2, R606.13.1.2
Inspection	R109.1.4
Seismic requirements	R606.12
Solid, definition	R202
Veneer	R703.8
Veneer attachment	R703.3

MASS WALLS

	Table N1102.1.3, N1102.2.5
--	----------------------------

MATERIALS

Alternative	R104.11
Combustible	R202, R1001.11, R1001.12, R1003.18, R1003.19
For ducts	M1601
For fixture accessories	P2702
For flue liners	R1003.11
For fuel-supply systems	Chapter 24
For hearth extension	R1001.9
For siding	R703.5
Hydronic pipe	M2101, M2103, M2104
Plumbing pipe	P2906, P3002

MEANS OF EGRESS

Attachment of landings, decks, balconies and stairs	R311 R311.5
---	----------------

Door	R311.2
Floors and landings at exterior doors	R311.3
Hallways	R311.6
Ramps	R311.8
Stairways	R311.7
Vertical egress	R311.4
MECHANICAL	
Inspection	R109.1.2
System requirements	N1103, Chapter 13
MEDIUM PRESSURE FUEL-GAS PIPING SYSTEM	Chapter 24
MEMBRANE	
Penetration	R302.4.2
Polyethylene	R504.2.2, R506.2.3
Waterproofing	R406.2
Water-resistive	R703.2
METAL	
Ducts	Chapter 16
Roof panels	R905.10
Roof shingles	R905.4
METAL-CLAD CABLE	Table E3801.2
METHODS	
Water distribution pipe sizing	Appendix AP
MEZZANINES	R325, (I)R325.3
MODIFICATIONS	R104.10
MOISTURE CONTROL	R702.7
MORTAR	
Joints	R606.3.1
MOTORS	
Motor branch circuits	E3702.6, E3702.7
MULTIPLE	
Appliance venting systems	M1801.11
Flues	R1003.13
MULTIWIRE BRANCH CIRCUITS	E3701.5

N

NONCOMBUSTIBLE MATERIAL	
Definition	R202
NONMETALLIC BOXES	E3905.3, E3908.17
NONMETALLIC RIGID CONDUIT	E3801.4
NONMETALLIC-SHEATHED CABLE	E3705.4.4, E3801.4, E3905.3.1, E3908.9.3
NONPOTABLE WATER SYSTEMS	P2910, P2911, P2912, P2913
NOTCHING	
Electrical	E3402.1
For mechanical systems	M1308
For plumbing piping	P2603.2
Steel joists	R505.2.5, R505.3.5, R804.2.5, R804.3.3
Steel studs	R603.2.6, R603.3.4

Wood joists	R502.8, R802.7.1
Wood studs	R602.6
Wood top plates	R602.6.1

O

OCCUPANT SENSOR CONTROL	N1101.6, N1104.2
OCCUPIED SPACE	
Definition	R202
OIL	
Piping and connections	M2202
Supply pumps and valves	M2204
Tanks	M2201
ON-SITE RENEWABLE ENERGY	N1101.6, N1106.3, N1106.4
OPENING	
Protection	R302.5
Requirements, combustion air	Chapter 17, Chapter 24
Waterproofing of piping penetrations	P2606.1
OPEN-TOP GAS BROILER UNITS	M1505.1
OUTLET	
Definition	Chapter 24, E3501
OVEN, WALL-MOUNTED	
Definition applied to electrical provisions	E3501
OVERCURRENT	
Definition	E3501
OVERCURRENT PROTECTION	E3705
OVERCURRENT-PROTECTION RATING	E3705
OVERLOAD	
Definition	E3501

P

PANELBOARD	E3706
Clearance and dedicated space	E3405.2, E3405.3
Definition	E3501
Headroom	E3405.3
PARAPETS	R302.2.2, R606.4.4
PARTICLEBOARD	
Floor	R503.3
Walls	R605
PENETRATIONS	R302.4, R302.5
PERMITS	R105
PHOTOVOLTAIC PANEL SYSTEMS	R907
PIERS	R606.7
Masonry	R404.1.9
PIPE	
Fittings	P2906.6, P3002.3
Materials listing	P2609, Table M2101.1
Protection	P2603

INDEX

Standards, drain, waste and vent	Table P3002.1(1), Table P3002.1(2)
Standards, sewer	Table P3002.2
Standards, water supply	P2906
PIPING	
Connections and materials	Table M2101.1, P2906
Drain, waste and vent	P3002.1
Excavations next to footings	P2604.4
Fuel-gas size determination	Chapter 24
Penetrations	P2606
Protection	P2603
Sizing methods, water distribution.	P2903.7
Support	M2101.9, Chapter 24, P2605
PITS	
Appliance location	M1305.1.3.2
PLANNING	
Building	Chapter 3
PLANS	
	R106
PLASTER	
Exterior	R703.7
Interior	R702.2
PLATFORM LIFTS AND ELEVATORS	
	R321
PLENUM	
Definition	R202
Definition, electrical installations	E3501
PLUMBING	
Fixture clearances	R307
Fixtures	Chapter 27
Inspection	R109.1.2
Materials	P2702.2, P2905, P3002
Requirements and definitions	R202
System, definition	R202
Third-party certification	P2609.4
Traps	Chapter 32
Vents	Chapter 31
PLYWOOD	
Application	R703.5
Materials, walls	R604
POTABLE WATER	
Definition	R202
Piping listing	P2609.4
PRECAST CONCRETE	
Footings	R403.4
Foundation material.	R402.3.1
Foundation walls	R404.5
PRESSURE, WATER SUPPLY	
Maximum	P2903.3.2
Minimum	P2903.3
PRIVATE	
Sewage disposal system	Appendix AI

PROHIBITED

Receptors	P2706
Return air sources	M1602.2
Traps	P3201.5
Valves below grade	P2903.9.5
Water closets	P2712.1

PROPOSED DESIGN (ENERGY)	R202, N1105.3
---	---------------

PROTECTION

Against decay and termites	R317, R318
Against radon	Appendix AF
Of backflow preventers	P2902.6
Of ferrous gas piping	Chapter 24
Of potable water supply	P2902

PURLINS	R802.4.5
--------------------------	----------

PURPOSE	R101.3
--------------------------	--------

PUSH-FIT FITTING	R202, P2906.21
-----------------------------------	----------------

R

RACEWAY

Definition	E3501
Raceway installations	E3904
Raceway seals	E3601.5, E3803.6
Raceways as means of support	E3904.4

RADON

Map	Appendix AF
---------------	-------------

RAFTERS

Grade of lumber	R802.1
Spans	R802.1.1, Tables R802.4.1(1) – R802.4.1(8)

RAINPROOF

Definition applied to electrical provisions	E3501
---	-------

RAINTIGHT

Definition applied to electrical provisions	E3501
---	-------

RAINWATER

Identification for	P2901.2
Supply to fixtures	P2901.1

RAMPS	R311.8
------------------------	--------

RANGES

Branch circuits for ranges	E3702.9
--------------------------------------	---------

RANGES AND OVENS

Vertical clearance above cooking top	M1901.1
--	---------

READILY ACCESSIBLE

Definition	R202
Definition, electrical installations	E3501

READY ACCESS (TO)	N1101.6, N1103.5.2, N1103.10.1
------------------------------------	-----------------------------------

RECEPTACLE

Definition	E3501
----------------------	-------

RECEPTACLE OUTLET

Definition	E3501
----------------------	-------

Required outlets	E3901
RECEPTACLES	
Rating, type and installation	E4002
RECEPTORS	
Plumbing fixtures and traps	Chapter 27
Site-built shower	P2709.2
Waste	P2706
RECESSED LUMINAIRES	E4003.5, E4003.12, E4004.8, E4004.9
RECLAIMED WATER	
Identification for	P2901.2
Supply to fixtures	P2901.1
RENEWABLE ENERGY CERTIFICATE (REC)	N1101.6, N1106.7.3
RENEWABLE ENERGY RESOURCES	N1101.6
REPAIR	
Defined	R202
Requirements, energy	N1112
REQUIREMENTS	
Connections for fuel-burning appliances	Chapter 24
Return air	M1602
RESISTANCE TO GROUND	
Electrodes	E3608.4
RESISTANT SIDING MATERIAL (see MATERIALS)	
RETURN-AIR	M1602
RIDGE BOARD	R802.4
RIGID METALLIC CONDUIT	E3908
RIGID NONMETALLIC CONDUIT	E3801.4
ROOF	
Coverings	R905
Drainage	R903.4
Fire classification	R902
Flashing	R703.4, R903.2, R905
Materials	R904
Reroofing	R908
Rooftop-mounted solar energy systems	R324.3, R324.6
Steel framing	R804
Wood framing	R802
ROOF ASSEMBLY	
Defined	R202
Insulation installation	N1101.10.1.1
ROOF-CEILING CONSTRUCTION (see CONSTRUCTION)	
ROOFING	
Built-up	R905.9
Liquid-applied coating	R905.15
Modified bitumen	R905.11
Sprayed polyurethane foam	R905.14
Thermoplastic single-ply	R905.13
Thermoset single-ply	R905.12
ROOM	
Area, height and dimensions	R304, R305

Heaters, vented	M1410, Chapter 24
Minimum Sizes	R304

R-VALUE

Definition	N1101.6
Installation requirements	N1102.2
Minimum	Table N1102.1.3
R-value alternative	N1102.1.3

S

SANITATION	R306
-------------------------	------

SEISMIC RISK MAP	Figure R301.2(2), Figure R301.2(3)
-------------------------------	---------------------------------------

SEPTIC TANK

Definition	R202
------------------	------

SERVICE

Definition	E3501
------------------	-------

SERVICE CABLE

Definition	E3501
------------------	-------

SERVICE CONDUCTORS

Definition	E3501
Drip loops	E3605.9.5
Insulation	E3605.1
Overload protection	E3603.3
Rating of ungrounded service conductors	E3602.1
Size	E3603.1

SERVICE DISCONNECT

Location	E3601.6.2
Marking of	E3601.6.1
Maximum number of	E3601.7
Rating of	E3602.3
Required	E3601.6

SERVICE DROP

Clearances	E3604.1, E3604.2
Definition	E3501
Point of attachment	E3604.3

SERVICE EQUIPMENT

Definition	E3501
------------------	-------

SERVICE LATERAL

Definition	E3501
------------------	-------

SERVICE LOAD

.....	E3602.2
-------	---------

SERVICE POINT

Definition	E3501
------------------	-------

SERVICE UTILITIES

.....	R111
-------	------

SERVICE VOLTAGE RATING

.....	E3602.4
-------	---------

SERVICE-ENTRANCE CONDUCTORS, OVERHEAD SYSTEM

Definition	E3501
------------------	-------

SERVICE-ENTRANCE CONDUCTORS, UNDERGROUND SYSTEM

Definition	E3501
------------------	-------

SERVICES

.....	Chapter 36
-------	------------

SEWAGE

Disposal, private	P2602
SEWER, BUILDING	
Definition	R202
Replacement by PVC fold and form method	P3011
Separation from water service	P2604.2, P2906.4.1
Size	P3005.4.2
Testing	P2503.4
SHAKES	
Wood	R702.6, R703.6, R905.8
SHINGLE	
Asphalt shingles	R905.2
Metal	R905.4
Slate	R905.6
Wood	R905.7
SHOWER	
Compartment	R307.2
Control valve	P2708.4
Control valve riser to shower head	P2708.3
Drain size	P2708.2
Finishes	R307.2
Hand	P2708.5
Receptor	P2709
Space required	R307.1
Stall dimensions	P2708
Walls	P2710
SHUTOFF VALVE (see VALVES)	
SIDING	
Exterior coverings	R703
SINKS	P2714
SITE	
Address	R319
Preparation	R408.5, R504.2, R506.2
SIZE	
Of combustion air openings	Chapter 17
Of rooms	R304
Of trap	P3201.7
SIZING METHODS	
Water piping	P2903.7
SKYLIGHTS	R308.6
SLATE SHINGLES	R905.6
SLEEPING UNIT	R202
SMOKE ALARMS	R314
SMOKE-DEVELOPED INDEX	R302.9, R302.10
SNOW LOAD MAP	Figure R301.2(3), Figure R301.2(4)
SNOW MELT SYSTEMS	N1103.9
SOFFIT	R704
Fiber-cement	R704.2.2, R704.3.2
Hardboard	R704.2.3, R704.3.3
Vinyl	R704.2.1, R704.3.1
Wood	R704.2.4, R704.3.4

SOILS

Collapsible (definition)	R202
Compressible (definition)	R202
Expansive (definition)	R202

SOLAR ENERGY SYSTEMS

Building-integrated photovoltaic systems	R324, M2301
Definition	R202
Ground-mounted photovoltaic systems	R324.7
Photovoltaic systems	R324.3
Roof access and pathways	R324.6
Rooftop-mounted photovoltaic systems	R324.3
Solar thermal systems	R202, Chapter 23

SOLAR FRACTION

N1101.6, N1103.5.1, N1108.2.3

SOLAR HEAT GAIN COEFFICIENT (SHGC)

Default	Table N1101.10.3(3)
Defined	R202
Requirements	Table N1102.1.2, Table N1102.1.3

SPANS

Steel (allowable)	R505.3.2, R804.3.2.1
Wood (allowable)	R502.3, R802.5

SPAS

R327, E4208

SPLICES

E3406.11

SPLICES AND TAPS

E3803.4

SPRINKLER (see FIRE SPRINKLER SYSTEMS)

STAIRWAYS

Alternating tread devices	R311.7
Bulkhead enclosure	R311.7.11
Handrails	R311.7.10.2
Headroom	R311.7.8
Illumination	R311.7.2
Landings for	R311.7.9
Nosings	R311.7.6
Ship's ladders	R311.7.5.3
Spiral	R311.7.12
Treads and risers	R311.7.10
Vertical rise	R311.7.5, R311.7.5.4
Walking surface slope	R311.7.3
Walkline	R311.7.7
Width	R311.7.4
Winder treads	R311.7.1
	R311.7.5.2.1

STANDARD REFERENCE DESIGN

Defined	R202
Requirements	N1105, Table N1105.4.2(1)

STANDARDS

Chapter 44, Appendix AG

STANDPIPE (see WASTE RECEPTOR)

STATIONARY ENGINE GENERATORS

Defined	R329
	R202

STATIONARY FUEL CELL POWER SYSTEMS

Defined	R334
	R202

STEEL

Fireplace units	R1001.5.1
---------------------------	-----------

INDEX

Floor construction	R505
Framing, insulation requirements	N1102.2.6
Roof-ceiling construction	R804
Walls	R603
STOP WORK ORDER	R114
STORM SHELTERS	R106.1.5, R323
STORY	
Definition	R202
STOVES	
Factory-built fireplace	M1414
STRUCTURAL AND PIPING PROTECTION	P2603
STRUCTURAL INSULATED PANEL (SIP)	R610
STUDS	
Spacing	R602.3.1
Steel	R603.2, R603.3
Wood	R602.2, R602.3
SUBSURFACE IRRIGATION SYSTEMS	P3009
SUMP PUMPS	P3007.3.2, P3303
SUMPS AND EJECTORS	P3007
SUNROOMS	R301.2.1.1.1, R303.9.1
Defined	R202
Fenestration	N1102.3.5
Insulation	N1102.2.12
SUPPLY	
Combustion air	Chapter 17, Chapter 24
Fuel systems	Chapter 24
Oil supply pumps and valves	M2204
Required gas	Chapter 24
Return air	M1602
Water	Chapter 29
SUPPORT	
Of decks	R507.9.1.2
Of ducts	M1601.4.4
Of floor joists	R502.6, R505.3.2
Of masonry chimneys	R1003.2, R1003.3, R1003.4
Of pipe	M2101.9, Chapter 24, P2605
SUPPORT REQUIREMENTS FOR WIRING METHODS	E3802.1
SWIMMING POOLS, SPAS AND HOT TUBS	R327, N1103.10, Chapter 42, Appendix AG
SWITCHES	
Definition	E3501
Rating and application	E4001
SYSTEMS	
Mechanical venting	Chapter 18, Chapter 24
Plumbing, drainage, waste and venting	Chapter 25, Chapter 30, Chapter 31, Chapter 33

T

TAIL PIECES, PLUMBING FIXTURE	P2703
--	-------

TANK

- For fuel oil-burning appliances M2201
- Septic, definition R202

TEMPERATURE LIMITATIONS E3705.4**TEMPORARY STRUCTURES R107****TERMINALS E3406.10****TERMINATION**

- Of chimneys R1003.9
- Of vents (general) M1804.2

TERMITES

- Infestation probability map Figure R318.4
- Protection R318

TEST

- For leaks in supply piping Chapter 24
- Of backflow preventers P2503.8
- Of building sewers P2503.4
- Of plumbing systems P2503
- Of shower liner P2503.6

THERMAL DISTRIBUTION EFFICIENCY (TDE) N1101.6, N1103.3.1**THERMAL ISOLATION**

- Defined R202
- Requirements N1102.2.12

THERMAL RESISTANCE (see *R-VALUE*)**THERMAL TRANSMITTANCE (see *U-FACTOR*)****THERMOSTAT**

- Controls N1103.1
- Defined R202
- Programmable N1103.1.1

THICKNESS

- Of chimney walls R1003.10

TIES

- Veneer R703.8.4

TILE

- Shingles (clay and concrete) R905.3

TIME SWITCH, PUMPS FOR POOLS N1103.10.2**TOILET, BATH AND SHOWER SPACES R307****TOWNHOUSE**

- Definition R202
- Parapet construction R302.2.5
- Scope R101.2
- Separation R302.2
- Structural independence R302.2.6

TRACK LIGHTING E4005**TRAP Chapter 32**

- Arm, definition R202
- Building P3201.4
- Seal protection P3201.2.1

TRENCHING AND BACKFILLING P2604**TRUSSES**

- Steel R505.1.3, R804.3.6
- Wood R502.11, R802.10

TWO-FAMILY DWELLINGS	R302.3
TYPE OF VENTING SYSTEMS REQUIRED	Chapter 18, Chapter 24

U

U-FACTOR

Definition	N1101.6
Maximum	Table N1102.1.2
Total UA Alternative	N1102.1.4

UNDER FLOOR

Access to furnaces	M1305.1.3
Plenums	M1601.5
Space	R408

UNDERGROUND INSTALLATION REQUIREMENTS

Duct systems	M1601.1.2
Electrical cable	E3803
Wiring	E4203.8

UNDER-STAIR PROTECTION

R302.7

UNVENTED ATTIC ASSEMBLIES

R806.5

UTILIZATION EQUIPMENT

Definition	E3401
------------------	-------

V

VALVES

Backwater	P3008
Meter	Chapter 24
Oil-supply	M2204
Plumbing fixture	P2903.9.3
Relief, water heater	P2804
Shut off, water heaters	P2903.9.2
Shut off, water supply	P2903.9
Shutoff, fuel-gas	Chapter 24
Shutoff, fuel-oil	M2204.2

VAPOR RETARDERS

R702.7

Definition	R202
------------------	------

Under floor	R408.8
-------------------	--------

VENEER

Masonry	R703.7
---------------	--------

VENT

B or BW vent	Chapter 24
Definition	Chapter 24
L vent	M1804.2.4, Chapter 24
Plumbing system, definition	R202
Termination	M1804.2, M2203.5, P3103.5

VENTED

Decorative appliances	Chapter 24
Floor furnaces	M1408
Room heaters	M1410
Wall furnaces	M1409

VENTILATION

Adjoining rooms	R303.2
Bathroom and kitchen	R303.3
For hydrogen systems	M1307.4
Habitable rooms	R303.1
Roof	R806
Under floor	R408.1
Whole-house	Table N1103.6.2, M1505.4

VENTING (MECHANICAL)

Chimney and vent connectors	R1006, M1803, Chapter 24
Components	M1802, Chapter 24
Fireplace	R1006
General	M1801, Chapter 24
Required	M1801, M2203.4, Chapter 24
Systems	Chapter 18, Chapter 24
Testing	N1103.6.3
Whole-house	N1103.6.1

VENTING (PLUMBING)

Air admittance valves	P3114
Circuit	P3110
Combination waste and vent system	P3111
Common	P3107
Connections and grades	P3104
Fixture	P3105
Individual	P3106
Island fixture	P3112
Pipe sizing	P3113
Stacks and stack vents	P3102
Systems	P3101
Terminals	P3103
Waste stack	P3109
Wet	P3108

VERTICAL

Clearances above cooking top	M1901.1
Pipe, definition	R202

VIOLATIONS

And penalties	R113
-------------------------	------

VISIBLE TRANSMITTANCE (VT)

Default glazed fenestration	N1101.10.3
Defined	R202

VOLTAGE

Definition	E3501
----------------------	-------

VOLTAGE RATING (SERVICES)

	E3602.4
--	---------

VOLTAGE TO GROUND

Definition	E3501
----------------------	-------

VOLTAGES	E3404.1
--------------------	---------

W

WALL FURNACE (see APPLIANCE)

WALLBOARD

Gypsum..... R702.3

WALLS

Above-grade, defined	R202
Basement, defined	R202
Bathtub compartments	R307.2, P2710
Bracing, steel	R603.9
Bracing, wood	R602.10
Construction	Chapter 6
Covering	Chapter 7
Crawl space, defined	R202
Cripple	R602.9
Deflection	R301.7
Exterior, defined	R202
Exterior covering	R703
Finishes	R307.2, R702
Fireplace	R1001.5
Foundation	R404
Insulating concrete form	R608.3, R608.4, R608.5.3
Shower compartments	P2710
Steel framing	R603
Structural insulated panels (SIP).	R610
Thickness, masonry chimneys	R1003.10
Wood framing	R602

WARM-AIR FURNACES

Access to	M1401.2
Clearance from	M1402.2

WASTE

Clear water	P2706.1
Continuous, definition	R202

WASTE RECEPTOR

Hub drain.....	P2706.1.1
Prohibited types.....	P2706.2
Standpipe.....	P2706.1.2

WATER

Distribution system, definition	R202
Heater, definition	R202
Heaters	Chapter 20, Chapter 24, Chapter 28
Individual supply and sewage disposal	P2602
Piping sizing methods	P2903
Pressure	P2903.3
Service, separation from sewer	P2604.2
Supply and distribution	Chapter 29
Supply system, definition	R202

WATER CLOSET

Carriers for wall hung	P2702.4
Clearances for	R307.1
Dual flushing	P2712.1

Personal hygiene devices	P2722.5
Seats	P2712.7
Standards	P2712.1
WATER HEATER	
Drain water heater heat recovery units	P2903.11
General requirements	N1103.5.1
In garages	P2801.7
Location	P2801.3, P2801.4, P2801.5
Pan	P2801.6
Plumbing requirements	Chapter 28
Relief valves	P2804
Seismic bracing	P2801.7
Solar thermal	P2802, P2902.5.5
Thermal expansion from	
Used for space heating	P2803
WATERTIGHT	
Definition applied to electrical provisions	E3501
WATERPROOFING	
And dampproofing	R406
Of openings through roofs and walls	P2607
WEATHERPROOF	
Definition applied to electrical provisions	E3501
WELLS (see INDIVIDUAL WATER SUPPLY)	
WHIRLPOOL BATHTUBS	P2720
WHOLE-HOUSE VENTILATION	M1505.4
WIND	
Design criteria	R301.2, (CA)301.2.1.5.1: Topographic Factor Maps, (I-CA)301.2.1.5.1
Speed maps	Figure R301.2(5)A, Figure R301.2(5)B
WINDOW	R609
EERO replacement sill height	R310.5
Fall protection	R312.2
Opening limiting devices	R312.2.2
WIRING METHODS	Chapter 37
WOOD	
Floor construction	R502
Foundation walls	R404.2
Protection against decay	R317
Roof-ceiling construction	R802
Shakes	R905.8
Shingles	R905.7
Trusses	R502.11, R802.10
Walls	R602
WORKING SPACE	E3606.2
Around electrical equipment	E3405.1, E3405.2
WORKMANSHIP, PLUMBING	P2608

Y

YARD

Definition	R202
------------------	------

